

Board of Health Meeting Minutes

August 9, 2012

Present: Rich Maccagnano, Karen McManamon, Eric Dickinson, and Ann McCobb.
Rich called the meeting to order at 7:00 p.m.

Public Comment

None

Approval of Bills

The following bills were approved and signed:

G & L Labs – Beach testing, 7/16/12	\$60.00
G & L Labs – Beach testing, 7/23/12	\$60.00
Sanofi Pasteur, flu vaccine	\$1838.40
Century Health Systems	\$180.00

Health Director's Report

Seasonal topics:

Beach closes this Friday. Beach testing will continue until August 27th.

Mosquito spraying continues as usual. A ditch that the Highway Department was working on at 41 Mechanic Street was investigated by CMMCP and found nothing to spray. Trapping and surveillance has been increased as precautionary.

Regular topics:

Concession stand at the High School: Brian Cheever called asking if the DEP had revised the Title 5 regulations yet. There is nothing from the DEP yet.

81 Railroad Street: They are proceeding with the 20 gpd calculations. We are still waiting for the water use and pumping frequency from Paul Saulnier.

12 Curve Street: Paul Saulnier developed the proposed septic upgrade plans in 2004 and action has been re-initiated. Do they need to get a new variance or pay fees? Rich said since they already paid the fees and there are no new variances requested then they do not need a hearing or to pay new fees.

Celebrate Holliston: September 22nd is Celebrate Holliston. Ann will contact Liisa Jackson, MRC, if she wants to have a table there recruiting for HERC.

Isolation and Quarantine Nuts & Bolts Training: Fall training is September 18th at the Worcester Health Department.

Flu Clinic: All the 300 doses of purchased vaccine have arrived. The October 3rd clinic date at the Senior Center needs to be changed. We are gearing up for the clinic. Ann will speak to Kathy Shore.

Central Café: Len Izzo did the food inspection. Ann did the tobacco inspection. The cigars will be moved so there is no public access to them.

Covanta Inspection: Brian Moran submitted his report. The results were discussed. Rich was concerned about 3 items that Ann will mention to Tom: the “truck sitting on Whitney,” “minimal waste on the floor,” and regularly washing the floor. Rich wondered why there were no grasses growing in the storm water basin.

New England Emulsions: Michelle Delmarre, DEP, issued a non-compliance notice regarding fugitive off-site emissions witnessed on July 2, 2012.

441 Washington Street – Dunkin’ Donuts – Progress Report

The current wastewater treatment system is still not working. Bert Corey presented the water meter readings, averaging 807 gpd. Harry Kampersal is pumping the grease trap and cleaning the PODS every 2 weeks, and this seems to be helping. The crack between the tanks appears to have fixed itself.

Michael Dunne, of Waste Water Technology, gave a presentation on the ANUA Puramar waste water treatment system, being proposed for remedial treatment at Dunkin Donuts. This system is designed to also process the grease trap waste. ANUA is offering a performance warrantee. This system will fit into the existing space with minimal disruption, and less visual components.

Rich asked about the system maintenance requirements. The blowers have annual maintenance to the belts, oil, and filter. But there are no septic filters to clean.

Rich wants a list of where this Puramar technology is being used, and what are the other Dunkin’ Donuts using for their waste water treatment. Ann will follow up with the DEP regarding what other coffee shops are doing.

Rich confirmed that they are still planning on having a new system in place this year.

Dean Schofield wants the Board to approve an increased flow. Rich said that with successful pretreatment, the Board can look at approving an increased flow.

Mike Healy will send the preliminary plans and product specs to Rich Westcott. Rich Westcott will review the proposed remedial system. Westcott’s consulting fee portion will be escrowed, and a small portion will go to the general fund for administration.

Mike Healy will contact Ann regarding getting on the next Board meeting.

49 Central Street: Ann followed up on the change of use.

41 Pleasant Street: The Board wants a repair ASAP.

67 Jeffrey – Grasshopper Landscaping: Jed Barclay still needs to resolve the compost pile odor issue that was noted by the DEP.

Lil' Folks Farm: When animal inspector does the regular barn inspection, Rich asked to keep Chuck Katuska in the loop.

Approval of Minutes

A motion was made by Karen and seconded by Eric to approve the 6/21/12 minutes. All in favor.

A motion was made by Rich and seconded by Eric to approve the 7/12/12 minutes. All in favor.

A motion was made by Karen and seconded by Rich to approve the 7/26/12 minutes. All in favor.

Board Member Comment

None

Rich Maccagnano motioned to adjourn the meeting. Karen seconded, and passed unanimously.

Respectfully submitted:

Ann Adams, Health Department Clerk

Approval Date: 8-23-12